

TYPE EXAMINATION CERTIFICATE – EC MODULE B

Certificate no .: MEDB00001MY **Revision No:** 5

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV AS under the authority of the Government of Norway.

This is to certify:

that the Bridge Navigational Watch Alarm System (BNWAS)

with type designation(s) K-Bridge BNWAS MK2

issued to Kongsberg Maritime AS Kongsberg, Norway

is found to comply with the requirements in the following Regulations/Standards: Regulation (EU) 2024/1975, item No. MED/4.57. SOLAS 74 as amended, Regulations V/18 & V/19, IMO Res. A.694(17), IMO Res. MSC.128(75), IMO Res. MSC.191(79), IMO Res. MSC.302(87), IMO MSC.1/Circ.1474

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until 2030-05-18.

Issued at Høvik on 2025-05-19

DNV local unit: East & South Norway CMC

Approval Engineer: Steinar Kristensen



Notified Body No.: 0575

for DNV AS

Mydlak-Röder, Christine Head of Notified Body

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F), as allowed by the "Agreement between the United States of America and the EEA EFTA states on the mutual recognition of Certificates



of Conformity for Marine Equipment" signed 17 October 2005, and amended by Decision No 1/2023 dated August 21st, 2023. The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU. This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV AS of any changes to the approved

equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled. Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to USD 300 000.

Form code: MED 201.NOR



Job ID: 344.1-003678-7 Certificate no.: MEDB00001MY Revision No: 5

Product description

Kongsberg Maritime K-Bridge BNWAS MK2 is implemented within the Kongsberg K-Bridge system platform, and comprises the following modules :

Hardware:		Model/Type:
 K-Bridge Operator Station 	:	As defined in separate certificate*)
 BNWAS Main Panel- Drop-In or 	:	110-0058856
BNWAS Main Panel- Flush	:	110-0058860
 BNWAS Reset Panel- Drop-In or 	:	110-0058858
BNWAS Reset Panel- Flush	:	110-0058861
 Alarm Buzzer (Bridge) 	:	3700825
Alarm Buzzer (Cabins)	:	3700688
Option: • Kongsberg Motion Sensor PA6810E	:	378592
Software modules: K-Bridge System Platform SW	:	As defined in separate certificate*)

*) Certificate TAA00000FJ for K-Bridge and K-Bridge Standalone system platforms (see Type Examination documentation below) in its latest revision at the date of placing the system on the market is part of this certificate. For the relevant revision see also https://approvalfinder.dnv.com/.

Application/Limitation

- Installation is to be performed according to the manufacturer's documentation. See Type Examination documentation below for details.
- The K-Bridge BNWAS may be delivered in K-Bridge Console KM05 or as built-in version for other consoles incl. KM18.
- K-Bridge BNWAS may fulfil the additional DNV requirements for BNWAS used onboard ships with DNV NAUT notifications, depending on system configuration and installation.

Tests carried out

- Performance testing:
- Environmental testing:
- Serial interface testing:
- IEC 61162-1 (2016)

IEC 62616 (2010)

- Presentation of Navigation information: IEC 62288 (2021)
- Bridge Alert Management:
- IEC 62923-1 (2018) and IEC 62923-2 (2018)

IEC 60945 (2002) incl. Corr.1 (2008)



Job ID: Certificate no .: **Revision No:** 5

344.1-003678-7 MEDB00001MY

Type Examination documentation

DNV	Drawing No	Rev.	Title	
No				
64	110-0070814	В	Manual: Kongsberg Maritime, BNWAS MK2 Maintenance Manual	
63	110-0070813	В	Manual: Kongsberg Maritime, BNWAS MK2 Installation Manual	
62	110-0069410	A	Manual: Kongsberg Maritime, K-Bridge BNWAS MK2, Operator Manual Release 9.1.2	
59	455906	В	Manual: Kongsberg Maritime, ECDIS and Radar Display Distances, Installation Manual	
58	110-0054815	А	Manual: Kongsberg Maritime, K-Bridge BNWAS, Operator Manual, Release 9.1	
57	110-0052052	А	Report: Kongsberg Maritime, K-Bridge test Report IEC 62288 Ed.3 (2021)	
53	477915	С	Report: Kongsberg Maritime, K-Bridge and K-Nav CAM BAM Type Approval test report	
44	463299	A	Report: Kongsberg Maritime, Motion detector Takex PA6810E, K-Bridge BNWAS Function Test	
42	E14056.00	00	Report: Nemko, EMC and environmental test report for Passive IR sensor type 378592 (KM doc. no 254128)	
38	E09778.00	00	Report: Nemko, EMC and environmental test report for PA6810E Motion Sensor	
27	TAA00000FJ	Latest	Certificate: DNV, Type Approval certificate for K-Bridge and K-Nav system	
		rev.	platforms	
24	419028	А	Report: Kongsberg Maritime, K-Bridge BNWAS renewal test report	
7	DANAK-	2008-	Report: DELTA, Type Approval testing of SONF1DC24G	
	1910004	01-09		
3	334399	E	Manual: Kongsberg Maritime, K-Bridge BNWAS, Installation Manual	

Marking of product The type designation and name and contact address of the manufacturer shall be affixed visibly, legibly and indelibly to the product. In addition the product shall be marked with serial number, safe distance to magnetic compass, power consumption and/or supply voltage.