



# TYPE APPROVAL CERTIFICATE

Certificate No:  
**TAA000025R**  
Revision No:  
**3**

## This is to certify:

**That the Remote Control System, Propulsion, Thruster and Steering**

with type designation(s)  
**K-Thrust 720**

Issued to

**Kongsberg Maritime AS**  
**Kongsberg, Norway**

is found to comply with  
**DNV rules for classification – Ships**

## Application :

**The Type Approval applies to system design principle and programmed functions.**

**Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.**

**Location classes are listed in the certificate.**

Issued at **Høvik** on **2023-05-02**

This Certificate is valid until **2025-02-20**.

DNV local unit: **Sandefjord**

Approval Engineer: **Ruben Magnus Kolås**

for **DNV**

.....  
**Siri Tag**  
**Head of Section**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



## Product description

K-Thrust 720 RCS system is a flexible and scalable thruster remote control system that can be tailored to suit a variety of different vessel requirements with regards to system segregation and redundancy.

Each propulsion unit, steering gear or thruster has its own separate remote control sub system. A complete remote control system (RCS) for a propulsion plant consists of several parallel RCS'. Common functions for command transfer and control mode selection at each control position synchronise the parallel sub systems.

The Type Approval is valid for the following main modes and functions:

### Modes:

- Manual Lever control
- Auto Pilot mode with input from external auto pilot
- Speed Pilot mode with input from external speed pilot
- Manual Heading (Wheel) mode with input from wheel/tiller/miniwheel/rudder lever
- DP mode with input from dynamic positioning control system
- IJS mode with input from independent joystick control system

### Functions:

- Remote control of propulsion, thruster and steering gear
- Command responsibility transfer between control positions and individual transfer between ECR and Bridge
- Command change over between control systems (as listed above under modes)
- Alarm indication

### Optional modes and functions:

- Power Mode / Torque mode
- Load Control Sharing mode
- Bumpless transfer between control positions and to Lever control from other control systems.
- Synchronous Control between two or more propulsion units, steering gears or thrusters.
- RCS Steering Gear Alarm System

Additional information related to modes and functions can be found in K-Thrust 720 Propulsion and Thruster Remote Control System Product Description.

### Software:

Current software version is 4.y.z. The release label is constructed by three digits; x.y.z, where

- x denotes major release
- y denotes minor release
- z denotes update

### Hardware (that a delivery may consist of):

Module type	Product Description	Product No.	HW module descr. No.	Location Classes	Compass Safe Distance	DNV TA reference
<b>Telegraph</b>	Push Button Telegraph - PBT	(8100278) 8100318 8100333	Datasheet 330199	C/B/B/B/**		TAA0000017
	INELTEH Emergency Engine Telegraph – EET1	360014 360015 360017 360018 386632 386635	361104	A/B/A/B/**		TAA00002D6
<b>Lever</b>	Azimuth Lever with display	405846	412948	B*/B/A/B/A	1000 mm	TAA0000017
	Azimuth Lever	416533	412948	B*/B/A/B/A	1000 mm	TAA0000017
	Single Lever with display	405842	412948	B*/B/A/B/A	1300 mm	TAA0000017
	Single Lever	416531	412948	B*/B/A/B/A	200 mm	TAA0000017
	Dual Lever with display	405844	412948	B*/B/A/B/A	1300 mm	TAA0000017
	Dual Lever	416532	412948	B*/B/A/B/A	200 mm	TAA0000017
	Lever display	416534	412948	B*/B/A/B/A	1100 mm	TAA0000017
	Lever telegraph unit – LTU11	364330	Datasheet 367938	D/B/B/B/**	800 mm	TAA0000017

Module type	Product Description	Product No.	HW module descr. No.	Location Classes	Compass Safe Distance	DNV TA reference
	Lever telegraph and speedset unit – LTU11ME	389505	Datasheet 367938	B*/B/A/B/**	600 mm	TAA0000017
<b>Mini Wheel</b>	Mini Wheel with display	412364	412948	B*/B/A/B/A	1000 mm	TAA0000017
	Mini Wheel	417835	412948	B*/B/A/B/A	1000 mm	TAA0000017
<b>Joystick</b>	KC 06-K	355346 355287	307003	IP22: B*/B/A/NA/A (IP56 and IP67: D/B/A/NA/C)		TAA00001WJ
<b>Panel</b>	K-Master Alarm Panel	346999	348019	B*/B/A/B/**		TAA000004C
	K-Master I/O controller	344382	348029	B*/B/A/B/**		TAA000004C
	K-Master Touch Control Panel - 13.3" HD 13T21 KMD-DR1-CORP	356680	349793	A*/B/A/B/**	800 mm	TAA000004C
	Display 15" FHD XT MK1	469945	480747	B*/B/A/B/**	Std: 1100 mm Steer: 700 mm	TAA000030Z
	Direct Wiring Panel	345857	334102	B*/B/A/B/**	50 mm	This certificate
	Direct Wiring IO Controller	345847	334102	B*/B/A/B/**	100 mm	This certificate
	Thruster Command Panel	406412	412460	D/B/A/B/A	1200 mm	TAA000004C
	Multi Purpose Panel - MPP	8100290		C/B/B/B/**		TAA0000017
	PB4	400992	Datasheet	D/B/B/B/B	200 mm	TAA0000017
<b>IO unit</b>	Remote Serial line interface module - RSER200-4	603444	300993	B*/B/A/B/**	50 mm	TAA00000W5
	RBUS Hub Module - RHUB200-5	603442	300994	B*/B/A/B/**	50 mm	TAA00000W5
	Remote Multi Purpose IO Module - RMP201-8	324400	330111	B*/B/A/B/**	50 mm	TAA00000W5
	Remote Multi Purpose module series 420 - RMP420	306712	311165	B*/B/A/B/**	50 mm	TAA00000W5
	Remote Digital I/O Relay series 420 - RDIOR420	306713	311163	B*/B/A/B/**	50 mm	TAA00000W5
	Main Engine Interface unit - MEI	8100276	Datasheet 330153	B*/B/B/B/**		TAA0000017
	Remote input/output - C2xe	333346	Datasheet 330189	B*/B/B/B/**	600 mm	TAA0000018
<b>Controller</b>	RCU602	383962	408644	B*/B/A/B/A	300 mm	TAA000004C
	Remote Controller Unit series 502i - RCU502i	421768	429804	B*/B/A/B/A	300 mm	This certificate
<b>Switch</b>	Moxa Switch - EDS-205A	343608 463210	343879	D/B/A/B/**		TAA000021N and TAA000006N
	Moxa Switch - EDS-208A	463211 463212 463213 463214 110-0011747	470973	D/B/A/B/**		TAA000006N
	Moxa Switch - EDS-308	702485 702631 703659 436806	178001	D/B/A/B/**		TAA000006K and TAA000006S
	Moxa Switch - EDS-305	702630	472197	D/B/A/B/**		TAA000006S
	Moxa SFP module	378893	440212	D/B/A/B/**		TAA000006N

Module type	Product Description	Product No.	HW module descr. No.	Location Classes	Compass Safe Distance	DNV TA reference
		388849 399666 424338				
	Ethernet plugin modules - Moxa Port Interface IM-6700A series	438763 438765 402107	439061	D/B/A/B/**		TAA0000043
	Managed Ethernet Switch - Moxa IKS-6728A series	382427	439059	D/B/A/B/**		TAA0000043
	Cisco Switch 2960-24TS-LL	454427	463194	D/B/A/B/**	Std: 500 mm Steer: 300 mm	TAA00002T9
	Switch Cisco C1000-24T-4G-L	469125	Datasheet 489196	D/B/A/B/A	Std: 2400 mm Steer: 1500 mm	TAA000035N
	Cisco/Fiberworks SFP modules	454449 454452 454453	466703 466704 466706	D/B/A/B/**	Std: 500 mm Steer: 300 mm	TAA00002T9
	CAN Switch - CS100	396502	396509	B*/B/A/B/A	1000 mm	This certificate
	CAN Switch Connector Module – CC100A	396504	396515	B*/B/A/B/A	1000 mm	This certificate
	CAN Switch Connector Module – CC100B	396633	396515	B*/B/A/B/A	1000 mm	This certificate
	LAN to CAN Gateway – L2C	404654	Datasheet 409453	D/B/B/B/**	100 mm	TAA0000018
	PSS Module	8100184	Datasheet 330194			TAA0000018
<b>Indicator</b>	DEIF Indicators - XL72, XL96 and XL144	Complete list in KM document: 340980/A Table 1	340980	B/B/A/B/**		TAA00001YF MEDB00003AS MEDB00003AN MEDB00003AT MEDB00003AR
	DEIF Panorama Rudder Angle Indicators – TRI-2	441451 441465 441458 441483 441473 441511 441459 352688 352689 352690	441530 178712			MEDB00003AN
	DEIF Display Indicator - XDi	Complete list in KM document: 393992/C	393992	D/B/B/B/**		TAA00001GV MEDB00003AS MEDB00003AN MEDB00003AT MEDB00003AR
<b>Personal Computer</b>	MC330 (i3 LAN)	448927	Maintenance Manual 450174	D/B/A/B/A	Std: 980 mm Steer: 620 mm	TAA00002MD
	MC340 (i3 LAN)	477549	Maintenance Manual 479386	D/B/A/B/A	Std: 150 mm Steer: 100 mm	TAA00002ZN
	Panel PC with 12.1" touch screen	402831	416808	B*/B/A/B/A	750 mm	TAA0000017 MRA000002U
	Panel PC with 7" touch screen	402622	405546	B*/B/A/B/A	450 mm	MRA000002U

Module type	Product Description	Product No.	HW module descr. No.	Location Classes	Compass Safe Distance	DNV TA reference
	NEO CE-HW-01	409251	409277	B*/B/A/B/A	900 mm	TAA00000FC MRA000000R
<b>Power Supply</b>	QUINT-PS/1AC/24DC/10	326396	326403	D/B/C/B/A		TAA000030X
	QUINT-PS/1AC/24DC/20	326574	327446	D/B/C/B/A		TAA000030X
	QUINT-PS/24DC/24DC/5A	365509	Datasheet 482507	D/B/C/B/**		TAA000030X
	PRO TOPDC 120W 24V/24V 5A	110- 0023293	Datasheet 110- 0023312	D/B/A/B/A	Std: 1000 mm Steer: 600 mm	TAA00002F2
	PRO TOP1 240W 24V 10A	472572	Datasheet 110- 0020568	D/B/A/B/A	Std: 700 mm Steer: 450 mm	TAA00002F2
	PRO TOP1 480W 24V 20A	472573	Datasheet 110- 0020569	D/B/A/B/A	Std: 700 mm Steer: 450 mm	TAA00002F2
	Trio Diode Module, 12-24VDC 2x10A/1x20A	386113	391243	A/B/A/B/A		TAA000011F
	Redundancy Module 2x10A, PRO RM 10	110- 0013547	Datasheet 110- 0019904	D/B/A/B/A		TAA00000TT
	PULS YR40.241	389002	410028	B/B/A/B/A		TAA00002YX
	Redundancy Module 2x20A, PRO RM 20	110- 0019905	Datasheet 110- 0019908	D/B/A/B/A		TAA00000TT
	Earth Fault Indicator 16 A – EFI-16	321492	324876	B*/B/A/B/**	500 mm	TAA00000W5

Location classes in the table above are denoted in the following sequence:  
 Temperature / Humidity / Vibration / EMC / Enclosure class

Where temperature is denoted as “\*\*”, then the module is tested to low temperature -15°C.

Where enclosure class is denoted as “\*\*\*”, required enclosure protection according to the rules to be provided upon installation onboard.

### Place of manufacture

- Kongsberg Maritime AS, Kongsberg, Norway
- Kongsberg Maritime AS, Horten, Norway
- Kongsberg Maritime Inc., New Orleans, USA
- Kongsberg Maritime China Ltd., No. 136 North Fute Road, China (Shanghai) Pilot Free Trade Zone, 200131, China
- Kongsberg Maritime Korea Ltd., Busan, Korea
- Kongsberg Maritime Pte. Ltd., Singapore, Singapore

### Approval conditions

The following documentation of the actual application is to be submitted for approval in each case:

- Reference to this Type Approval Certificate
- Functional description
- System block diagram
- Power supply arrangement (may be part of the System block diagram)
- Test program for certification
- Alarm list
- List of modules (new hardware will be subject for case-by-case assessment)

The Type Approval covers hardware and basis software listed under Product description.

The manufacturer will generate release/update notes for each new software revision. The current basis software version is listed under Product Description and KM document "Update Notes K-Thrust 4.1.1".

When the type approved software is revised (affecting all future deliveries) DNV is to be informed by forwarding updated software version documentation. If the changes are judged to affect functionality for which rule requirements apply a new functional type test may be required and the certificate may have to be renewed to identify the new software version.

#### Product certificate

Each delivery of the application system is to be certified according to Pt.4 Ch.9 Sec.1. The certification test is to be performed at the manufacturer of the application system before the system is shipped to the yard. After the certification the clause for application software control will be put into force.

#### Application software control

All changes in software are to be recorded as long as the system is in use on board. Documentation of major changes is to be forwarded to DNV for evaluation and approval before implemented on board.

### **Application/Limitation**

"RCS Steering Gear Alarm System" is an optional function and hence it might not be KM scope of supply on a specific delivery. This will then have to be addressed case by case.

Rules for additional class notation(s) (Redundant Propulsion, Dynamic Positioning, etc.) and craft category (if high speed craft) will be addressed case by case.

It is a prerequisite that all TA certificates referenced under "DNV TA reference" column under the "Hardware" chapter are valid. This falls under Kongsbergs responsibility to ensure.

### **Type Approval documentation**

Please note that the list below only includes selected documentation with the status approved and retrieved online from Kongsberg Maritime web solutions in CDQM-0016 Rev. E TA-K-THRUST-RBUS and CDQM-0016 Rev. F TA K-THRUST 720.

#### Hardware module descriptions:

- Moxa SFP module. Doc. No. 440212/A
- Direct Wiring Panel and IO Controller. Doc. No. 334102/F
- Thruster Command panel. Doc. No. 412460/B
- Redundancy module YR40.24. Doc. No. 410028/A
- Panel PC 7" 5:3 J1900. Doc. No. 405546/B
- CC100A / CC100B. Doc. No. 396515/B
- CS100. Doc. No. 396509/B
- Display Indicator (Deif), XDi. Doc. No. 393992/C
- Panel PC 12.1". Doc. No. 416808/A
- Trio Diode Module, 12-24VDC 2x10A/1x20A. Doc. No. 391243/A
- INELTEH Emergency Engine Telegraph Type EET1. Doc. No. 361104/D
- K-Master Touch Control Panel 13.3"HD 13T21 KMD-DR1-CORx. Doc. No. 349793/D
- K-Master Alarm Panel. Doc. No. 348019/B
- K-Master I/O controller. Doc. No. 348029/C
- Kwant Controls Rudder Angle Indicators. Doc. No. 345098/B
- DEIF Indicators XL72, XL96 and XL144. Doc. No. 340980/A
- RCU502i. Doc. No. 429804/D
- RCU602. Doc. No. 408644/C
- RMP201-8. Doc. No. 330111/C
- Lever K-Thrust. Doc. No. 412948/B
- Moxa Switch EDS-205A series. Doc. No. 343879/D
- Moxa Switch EDS-208A Series. Doc. No. 470973/B
- Moxa Switch EDS-305. Doc. No. 472197/A
- Moxa Switch EDS-308. Doc. No. 178001/E
- Moxa Port Interface IM-6700A. Doc. No. 439061/B
- Moxa IKS-6726A/6728A series. Doc. No. 439059/A
- Switch Cisco 2960. Doc. No. 463194/A
- SFP 10/100/1000Mb, RJ45, Cisco. Doc. No. 466703/A
- SFP 1000Mb, 1310nm, SM/MM, Cisco. Doc. No. 466704/A

- SFP 1000Mb, 850nm, MM, Cisco. Doc. No. 466706/A
- Phoenix Contact QUINT-PS/1AC/24DC/20. Doc. No. 327446/A
- Phoenix Contact QUINT-PS/1AC/24DC/10. Doc. No. 326403/B
- EFI-16 - Earth Fault Indicator 16A. Doc. No. 324876/I
- RMP420. Doc. No. 311165/E
- Indicator Panorama TRI-2. Doc. No. 441530/B
- RSER200-4. Doc. No. 300993/J
- RHUB200-5. Doc. No. 300994/G
- RDIOR420. Doc. No. 311163/D
- Kwant Controls KC 06-K Joysticks. Doc. No. 307003/B
- Computer NEO CE-HW-01. Doc. No. 409277/B
- MC330 Computer [ThinkStation P330 Tiny] Maintenance Manual. Doc. No. 450174/B
- Deif Panorama Rudder Angle Indicator TRI-2. Doc. No. 178712/G
- MC340 Computer [ThinkStation P340 Tiny] Maintenance Manual. Doc. No. 479386/B

Datasheets:

- AutoChief® 600, Pushbutton Telegraph (PBT). Doc. No. 330199/B
- L2C, LAN to CAN Gateway. Doc. No. 409453/C
- Remote Input/Output (RIO-C2). Doc. No. 330189/A
- Main Engine Interface (MEI). Doc. No. 330153/A
- Lever Telegraph Unit (LTU11 and LTU11 ME). Doc. No. 367938/D
- Display 15" FHD XT MK1. Doc. No. 480747/B
- Switch Cisco C1000. Doc. No. 489196/B
- PSS Process Segment Star Coupler (8 CAN) Doc. No. 330194/A
- Power Quint-PS 24DC/24DC/5A. Doc. No. 482507/A
- PROTOP1 Power 24V 10A. Doc. No. 110-0020568/B
- PROTOP1 Power 24V 20A. Doc. No. 110-0020569/B
- Red.Module 2x10A, PRO RM 10. Doc. No. 110-0019904/B
- Red.Module 2x20A, PRO RM 10. Doc. No. 110-0019908/B
- PB4. Doc. No. 405886/A

Test reports:

- Test Report K-Master Panel System Report No. E11024.03. Doc. No. 357261/B (Nemko)
- Nemko Test Report Bridge Workstation (Report No. E12059.00). Doc. No. 370398/A
- Type approval testing of additional Distributed Processing Units. Doc. No. DANAK-194874
- Type approval testing of ACP, PBT, MPP and MPD modules for New AutoChief C20: Doc. No. DANAK-197329
- Test Report Additional type approval testing of AutoChief AC-C20 Units. Doc. No. DANAK-197561
- Test Report Conducted low frequency interference immunity testing of AutoChief AC-C20 Units. Doc. No. DANAK-197724
- Type approval testing Earth Failure Indicator (EFI). Doc. No. DANAK-1910264
- Supplementary Type approval testing of EFI-16. Doc. No. DANAK-1910281/1
- Test for Marine Type Approval of RMP420 Rev.2. Doc. No. DANAK-1911658/1
- Test for Marine Type Approval of DuraPANEL 7", DuraPANEL 12.1" and DuraMON 7". Doc. No. DANAK-19/15434/A
- Test Report K-Thrust Modules. Doc. No. E16203\_00 (Nemko)
- Test Report CAN Distribution Unit (CDU) CS100/CC100A/CC100B/CR100. Doc. No. E15157.02 (Nemko)
- Environmental Test Report Vibration Test of Eldon MAS 120830X KM01. Doc. No. 3010-08-0107 (TI)
- Type approval testing of RMP420 and RDIOR420 (DANAK-198696). Doc. No. 310806/A
- Test Report RCU502i. Doc. No. E18081.00 (Nemko)
- Test for Marine Type Approval of STG Panel and STG Panel Controller (DANAK-1910900/A). Doc. No. 354809/-
- Test for Marine Type Approval of L2C. Doc. No. DANAK-19/16085/A
- Environmental tests for RMP201-8 based upon RMP200-8. Doc. No. 332991/A
- EMC and Environmental Testing of Maritime Display (HD13T21 KMD-DR1-CORP). DNV Report No. 2011-3416, Rev.01. Doc. No. 368647/A
- ENV Report for KM Modules up to IACS E10 rev. 8. Doc. No. NEMKO-21088.03

K-Thrust 720 system:

- K-Thrust 720 Control Position Cabinet CAN. Doc. No. 425804/B
- Engine Telegraph System. Doc. No. 435241/B
- K-Thrust 720 INELTEH Emergency Telegraph. Doc. No. 425806/B
- K-Thrust 720 Control Position Accessories. Doc. No. 425798/B

- K-Thrust 720 Thruster, Propulsion and Steering Remote Control System Operator Manual Release 4.1.1 Doc. No. 441551/B
- K-Thrust 720 Control Positions Fire Topology. Doc. No. 425799/B
- K-Thrust 720 Control Position. Doc. No. 425797/B
- K-Thrust 720 Propulsion and Thruster Remote Control System Product Description. Doc. No. 409587/C
- FMECA K-Thrust 720 Failure mode, effect, and criticality analysis. Doc. No. 384154/A
- Kongsberg K-Thrust 720 RCS Control Position Maintenance Manual. Doc No. 412924/B
- K-Thrust 720 RCS KFDD Kongsberg Functional Design Document "Vessel Name". Doc. No. 378068/C
- Release Notes K-Thrust 4.1.0. Doc. No. 440099/A
- Update Notes K-Thrust 4.1.1 Doc. No. 470067/A
- FAT procedure K-Thrust 720. Doc. No. 412879/D
- K-Thrust 720 Emergency Stop Levers. Doc. No. 388324/C
- K-Thrust 720 Emergency Stop Levers with thermal fuse. Doc. No. 419426/B

### Tests carried out

Applicable tests according to class guideline DNV-CG-0339, August 2021.  
Type approval FAT procedure K-Thrust 720. Doc. No. 412879/C\_FTR, 2019-01-09.  
Type approval assessment report, DNV Sandefjord 2023-03-15.  
FAT K-Thrust HW 5267831 – Rev A – Id 3446108  
FAT K-Thrust SW 5267898 – Rev A – Id 3446111  
FAT Procedure K-Thrust, doc no. 532295 Rev.B, dated 2023-02-02 DNV ID 43576

### Marking of product

The products to be marked with:  
- manufacturer name  
- model name  
- product number

### Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE